

cysteine azide photoaffinity journal of medicinal chemistry

cysteine azide photoaffinity journal of medicinal chemistry represents a significant area of research in chemical biology and drug discovery. This field combines the reactive properties of cysteine residues in proteins with azide-based photoaffinity labeling techniques to elucidate molecular interactions critical for medicinal chemistry applications. The integration of cysteine azide photoaffinity probes allows researchers to map binding sites, study protein conformations, and identify drug targets with high specificity and temporal control. The Journal of Medicinal Chemistry frequently publishes cutting-edge studies on this topic, highlighting advances in probe design, synthetic methodologies, and biological applications. This article explores the underlying chemistry of cysteine azide photoaffinity labeling, its role in medicinal chemistry, recent innovations reported in the Journal of Medicinal Chemistry, and future prospects for this technology in drug development. The discussion will also cover the advantages, challenges, and practical considerations related to these chemical tools.

- Fundamentals of Cysteine Azide Photoaffinity Labeling
- Applications in Medicinal Chemistry
- Recent Advances Published in the Journal of Medicinal Chemistry
- Advantages and Challenges of Cysteine Azide Probes
- Future Directions in Cysteine Azide Photoaffinity Research

Fundamentals of Cysteine Azide Photoaffinity Labeling

Cysteine azide photoaffinity labeling is a technique that exploits the unique reactivity of cysteine residues and the photochemical properties of azide groups to achieve covalent modification of proteins. This method relies on the incorporation of azide-functionalized probes that, upon exposure to ultraviolet (UV) light, generate highly reactive nitrenes capable of forming covalent bonds with nearby amino acid side chains, particularly cysteine thiols. The specificity for cysteine residues arises from the nucleophilic nature of the thiol group, making it an ideal target for selective labeling in complex biological environments.

Chemistry of Azide Photoactivation

The azide functional group ($-N_3$) undergoes photolysis under UV irradiation, releasing nitrogen gas and forming a reactive nitrene intermediate. This nitrene is electrophilic and can insert into C-H, N-H, or S-H bonds within

the vicinity, enabling covalent attachment to proteins. The transient nature of the nitrene ensures rapid and localized labeling, minimizing nonspecific interactions. The chemistry of azide photoactivation is well-suited for photoaffinity labeling due to its high reactivity and compatibility with biological systems.

Role of Cysteine Residues in Protein Labeling

Cysteine residues contain a thiol (-SH) group that is highly nucleophilic and reactive under physiological conditions. This characteristic makes cysteine an excellent target for covalent modification by electrophilic species such as nitrenes generated from azide photolysis. Labeling cysteine residues provides insights into protein structure, dynamics, and interactions since these residues often reside in functionally important regions such as active sites or allosteric pockets.

Applications in Medicinal Chemistry

The integration of cysteine azide photoaffinity probes into medicinal chemistry workflows facilitates the identification and characterization of drug-target interactions. This approach enables researchers to capture transient binding events and define ligand binding sites with high precision. The ability to covalently trap small molecules at their sites of action enhances the understanding of drug mechanisms and can guide rational drug design.

Identification of Drug Binding Sites

Photoaffinity labeling using cysteine azide probes allows medicinal chemists to pinpoint the exact amino acid residues involved in ligand binding. By covalently attaching probes to cysteine sites in the presence of candidate drugs, researchers can map interaction domains through mass spectrometry or other analytical techniques. This information is pivotal for optimizing lead compounds and improving drug efficacy.

Elucidation of Protein-Protein Interactions

Cysteine azide photoaffinity labeling can also be employed to study protein-protein interactions relevant to disease pathways. By targeting cysteine residues at protein interfaces, the technique captures interacting partners and stabilizes transient complexes, enabling structural and functional analysis. These insights can uncover novel therapeutic targets and pathways.

Development of Covalent Inhibitors

In medicinal chemistry, covalent inhibitors are gaining prominence due to

their potency and prolonged target engagement. Cysteine azide photoaffinity probes assist in designing covalent inhibitors by revealing accessible cysteine residues in target proteins. The knowledge of reactive cysteine sites supports the development of selective covalent drugs with improved safety profiles.

Recent Advances Published in the Journal of Medicinal Chemistry

The Journal of Medicinal Chemistry has featured numerous impactful studies that advance the field of cysteine azide photoaffinity labeling. These publications highlight innovations in probe design, synthetic strategies, and biological applications that have enhanced the utility and specificity of cysteine-targeted photoaffinity methods.

Innovative Probe Designs

Recent articles have described novel cysteine azide photoaffinity probes with improved photostability, enhanced reactivity, and tunable linker lengths. Modifications such as incorporation of cleavable linkers and multifunctional reporter groups have expanded the versatility of these probes for downstream analysis. Such advancements contribute to more accurate and efficient protein labeling in complex biological systems.

Synthetic Methodologies

Efficient synthetic routes for azide-containing cysteine analogs and photoaffinity probes have been reported, enabling scalable production and structural diversification. These methodologies facilitate rapid generation of probe libraries for screening and optimization in medicinal chemistry programs. The Journal of Medicinal Chemistry continues to publish protocols that streamline the synthesis and functionalization of cysteine azide compounds.

Biological Applications and Case Studies

Numerous case studies demonstrate the successful application of cysteine azide photoaffinity probes in identifying drug targets, mapping interaction networks, and validating therapeutic mechanisms. These studies underscore the relevance of cysteine azide photoaffinity chemistry in addressing complex biological questions and accelerating drug discovery pipelines.

Advantages and Challenges of Cysteine Azide

Probes

While cysteine azide photoaffinity labeling offers powerful advantages for medicinal chemistry, it also presents certain challenges that must be addressed to maximize its effectiveness.

Advantages

- **High Specificity:** Targeting cysteine residues provides selective labeling in proteins with minimal off-target effects.
- **Temporal Control:** Photoactivation allows precise control over labeling timing, enabling dynamic studies of protein interactions.
- **Versatility:** Azide chemistry can be integrated with various detection techniques, including mass spectrometry and fluorescence.
- **Covalent Capture:** Permanent attachment stabilizes transient or weak interactions that are difficult to study otherwise.

Challenges

- **Phototoxicity:** UV irradiation may cause damage to biological samples or induce nonspecific modifications.
- **Limited Penetration:** UV light has restricted tissue penetration, complicating in vivo applications.
- **Probe Stability:** Azide groups can be sensitive to reducing environments, leading to premature decomposition.
- **Site Accessibility:** Not all cysteine residues are solvent-accessible, limiting labeling efficiency in certain proteins.

Future Directions in Cysteine Azide Photoaffinity Research

Ongoing research aims to overcome current limitations and expand the scope of cysteine azide photoaffinity labeling in medicinal chemistry. Emerging approaches focus on developing probes with improved photochemical properties, enhanced biocompatibility, and broader applicability in complex biological systems.

Development of Near-Infrared Activated Probes

To address issues related to UV phototoxicity and tissue penetration, efforts are underway to design cysteine azide photoaffinity probes activated by near-infrared (NIR) light. NIR activation offers deeper tissue penetration and reduced cellular damage, enabling in vivo studies and clinical applications.

Integration with Proteomics and Chemical Biology

Combining cysteine azide photoaffinity labeling with advanced proteomic techniques and chemical biology tools will facilitate comprehensive mapping of protein interaction networks and post-translational modifications. This integrative approach promises to accelerate target identification and validation in drug discovery.

Engineering of Selective and Reversible Probes

Future probe designs may incorporate reversible covalent chemistry or engineered selectivity to enable dynamic studies of protein function and regulation. Such innovations will provide medicinal chemists with refined tools for interrogating biological systems with temporal and spatial precision.

Frequently Asked Questions

What is the significance of cysteine azide in photoaffinity labeling studies?

Cysteine azide is significant in photoaffinity labeling because it can be converted into a reactive nitrene intermediate upon UV irradiation, allowing it to covalently bind to nearby biomolecules. This property makes it useful for identifying protein-ligand interactions in medicinal chemistry research.

How does photoaffinity labeling with cysteine azide contribute to drug discovery?

Photoaffinity labeling with cysteine azide helps in drug discovery by enabling the identification and characterization of binding sites on target proteins. This information guides the design of more selective and potent therapeutic agents.

What are the key findings reported in the Journal of Medicinal Chemistry regarding cysteine azide photoaffinity probes?

The Journal of Medicinal Chemistry reports that cysteine azide-based photoaffinity probes exhibit high specificity and stability, facilitating

effective mapping of protein-ligand interactions. Additionally, these probes can be incorporated into peptides and small molecules for targeted labeling.

What advantages does cysteine azide offer over traditional photoaffinity groups like aryl azides?

Cysteine azide offers advantages such as improved selectivity towards thiol-containing residues, reduced nonspecific binding, and enhanced chemical stability compared to traditional aryl azides, making it a valuable tool in medicinal chemistry photoaffinity studies.

Which methods are commonly used to synthesize cysteine azide photoaffinity probes as described in recent literature?

Common synthesis methods involve the azidation of cysteine derivatives or incorporation of azide-functionalized cysteine analogs into peptides via solid-phase peptide synthesis, enabling the generation of site-specific photoaffinity probes.

What challenges are associated with using cysteine azide in photoaffinity labeling experiments?

Challenges include potential photodegradation of the probe, controlling nonspecific labeling, and ensuring efficient UV activation without damaging the biological system. Proper experimental design is critical to mitigate these issues.

How has the application of cysteine azide photoaffinity probes evolved in the Journal of Medicinal Chemistry over recent years?

The application has evolved from initial proof-of-concept studies to more complex systems involving live-cell labeling and proteome-wide interaction mapping, reflecting advancements in probe design and analytical techniques reported in the Journal of Medicinal Chemistry.

Additional Resources

1. Photoaffinity Labeling in Medicinal Chemistry: Principles and Applications

This book offers an in-depth exploration of photoaffinity labeling techniques, focusing on their use in medicinal chemistry for identifying drug-target interactions. It covers the chemistry behind photoactivatable groups such as azides, including cysteine azide derivatives. Readers will gain insight into experimental design, photochemical mechanisms, and practical applications in drug discovery.

2. Advances in Cysteine Chemistry: From Synthesis to Biological Applications

Focusing on the versatile amino acid cysteine, this volume discusses its chemical modifications, including azide functionalization for photoaffinity studies. It highlights synthetic strategies, reactivity profiles, and how cysteine derivatives are used in biochemical probes and therapeutic development. The book serves as a comprehensive resource for researchers

working with sulfur-containing biomolecules.

3. *Journal of Medicinal Chemistry: Selected Reviews on Photoaffinity Probes*

A curated collection of review articles from the Journal of Medicinal Chemistry that focus on the development and application of photoaffinity probes. The book covers various photoreactive groups, including azides, and their role in mapping protein-ligand interactions. It also discusses recent technological advances and case studies relevant to drug discovery.

4. *Photochemistry in Drug Design: Photoaffinity Labeling and Beyond*

This text delves into the photochemical principles underpinning drug design strategies, emphasizing photoaffinity labeling methods. It explains the design and synthesis of photoactivatable molecules such as cysteine azide probes and their use in elucidating biological targets. The book bridges photochemistry with medicinal chemistry for innovative therapeutic research.

5. *Bioorthogonal Chemistry and Photoaffinity Labeling Techniques*

Covering the intersection of bioorthogonal reactions and photoaffinity labeling, this book discusses how cysteine azide groups are employed for selective protein modification under physiological conditions. It includes practical protocols, mechanistic insights, and applications in chemical biology and medicinal chemistry. The text is suitable for researchers developing novel chemical probes.

6. *Chemical Probes for Target Identification in Drug Discovery*

This volume presents comprehensive methodologies for designing chemical probes, including photoaffinity labels containing azide functionalities. It explains how probes incorporating cysteine residues enhance specificity and efficiency in target identification. The book offers case studies illustrating successful applications in medicinal chemistry campaigns.

7. *Photoreactive Amino Acids: Synthesis and Applications in Medicinal Chemistry*

Dedicated to photoreactive amino acids such as cysteine azide derivatives, this book details their synthesis, characterization, and use in photoaffinity labeling experiments. It emphasizes their role in mapping protein interactions and understanding drug mechanisms. Practical aspects of incorporating these amino acids into peptides and proteins are thoroughly covered.

8. *Modern Techniques in Protein Labeling and Crosslinking*

This text explores state-of-the-art methods for labeling and crosslinking proteins, focusing on photoaffinity approaches involving azide groups. It discusses the chemistry of cysteine modifications and the application of photoactivatable probes in structural biology and medicinal chemistry. The book provides protocols and troubleshooting advice for experimentalists.

9. *Targeted Covalent Inhibitors: Design and Mechanisms*

Focusing on covalent drug design, this book covers the development of targeted covalent inhibitors that utilize cysteine residues in proteins, including strategies involving azide-based photoaffinity groups. It explains the chemical principles, design considerations, and therapeutic implications of covalent binding. The text includes examples from recent medicinal chemistry literature to illustrate key concepts.

Cysteine Azide Photoaffinity Journal Of Medicinal Chemistry

Find other PDF articles:

<https://www-01.massdevelopment.com/archive-library-701/files?ID=jvd10-8301&title=suzanne-some-rs-bioidentical-hormone-replacement-therapy.pdf>

cysteine azide photoaffinity journal of medicinal chemistry: Medicinal Chemistry and Drug Discovery: Nervous system agents Alfred Burger, 2003

cysteine azide photoaffinity journal of medicinal chemistry: Isolation, structural elucidation, and biological evaluation of bioactive products from traditional medicine Liqin Ding, Wei Li, Yi Dai, Xiaoxiao Huang, Cheng-Peng Sun, 2023-03-15

cysteine azide photoaffinity journal of medicinal chemistry: Index Medicus , 2001 Vols. for 1963- include as pt. 2 of the Jan. issue: Medical subject headings.

cysteine azide photoaffinity journal of medicinal chemistry: ACS Directory of Graduate Research 1993 American Chemical Society. Committee on Professional Training, 1993

cysteine azide photoaffinity journal of medicinal chemistry: Cumulated Index Medicus , 1989

cysteine azide photoaffinity journal of medicinal chemistry: Directory of Graduate Research American Chemical Society. Committee on Professional Training, 1979

cysteine azide photoaffinity journal of medicinal chemistry: Crop Physiology Abstracts , 1987

Related to cysteine azide photoaffinity journal of medicinal chemistry

Cysteine - Cys: dosage, applications, side effects, studies Cysteine is known as a sulphur-containing non-essential amino acid. Being a key constituent of glutathione, this amino acid supports a lot of vital physiological functions

Cysteine - Wikipedia L -Cysteine is a protein monomer in all biota, and D -cysteine acts as a signaling molecule in mammalian nervous systems. [8] Cysteine is named after its discovery in urine, which comes

L-Cysteine Benefits, Supplements, Dosage, Foods and Side Effects What is L-cysteine? L-cysteine is classified as a "semi-essential" amino acid because it can be made in small amounts by the human body, but many people can still

L-CYSTEINE: Overview, Uses, Side Effects, Precautions - WebMD Overview L-cysteine is a type of amino acid, which are the building blocks of proteins. The body makes L-cysteine from another amino acid called methionine

Cysteine - Health Encyclopedia - University of Rochester Medical Center It's found in beta-keratin. This is the main protein in nails, skin, and hair. Cysteine is important for making collagen. It affects skin elasticity and texture. Cysteine has antioxidant properties.

A cysteine-rich diet may promote regeneration of the intestinal A diet rich in cysteine has rejuvenating effects in the small intestine, according to a new study. The amino acid can turn on an immune signaling pathway that helps stem cells

Cysteine | Antioxidant, Protein Synthesis & Metabolism | Britannica Cysteine, Sulfur-containing nonessential amino acid. In peptides and proteins, the sulfur atoms of two cysteine molecules are bonded to each other to make cystine, another

Cysteine (intravenous route) - Side effects & uses - Mayo Clinic Cysteine injection is used to meet the nutritional requirements of newborn infants (including preterm babies) requiring total

parenteral nutrition (TPN). Cysteine injection is also

L- (+)-Cysteine | C₃H₇NO₂S | CID 5862 - PubChem Cysteine is an important source of sulfur in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals

Cysteine (Professional Patient Advice) - Professional guide for Cysteine. Includes: pharmacology, pharmacokinetics, contraindications, interactions and adverse reactions

Cysteine - Cys: dosage, applications, side effects, studies Cysteine is known as a sulphur-containing non-essential amino acid. Being a key constituent of glutathione, this amino acid supports a lot of vital physiological functions

Cysteine - Wikipedia L -Cysteine is a protein monomer in all biota, and D -cysteine acts as a signaling molecule in mammalian nervous systems. [8] Cysteine is named after its discovery in urine, which comes

L-Cysteine Benefits, Supplements, Dosage, Foods and Side Effects What is L-cysteine? L-cysteine is classified as a “semi-essential” amino acid because it can be made in small amounts by the human body, but many people can still

L-CYSTEINE: Overview, Uses, Side Effects, Precautions - WebMD Overview L-cysteine is a type of amino acid, which are the building blocks of proteins. The body makes L-cysteine from another amino acid called methionine

Cysteine - Health Encyclopedia - University of Rochester Medical Center It's found in beta-keratin. This is the main protein in nails, skin, and hair. Cysteine is important for making collagen. It affects skin elasticity and texture. Cysteine has antioxidant properties.

A cysteine-rich diet may promote regeneration of the intestinal A diet rich in cysteine has rejuvenating effects in the small intestine, according to a new study. The amino acid can turn on an immune signaling pathway that helps stem cells

Cysteine | Antioxidant, Protein Synthesis & Metabolism | Britannica Cysteine, Sulfur-containing nonessential amino acid. In peptides and proteins, the sulfur atoms of two cysteine molecules are bonded to each other to make cystine, another

Cysteine (intravenous route) - Side effects & uses - Mayo Clinic Cysteine injection is used to meet the nutritional requirements of newborn infants (including preterm babies) requiring total parenteral nutrition (TPN). Cysteine injection is also

L- (+)-Cysteine | C₃H₇NO₂S | CID 5862 - PubChem Cysteine is an important source of sulfur in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals

Cysteine (Professional Patient Advice) - Professional guide for Cysteine. Includes: pharmacology, pharmacokinetics, contraindications, interactions and adverse reactions

Cysteine - Cys: dosage, applications, side effects, studies Cysteine is known as a sulphur-containing non-essential amino acid. Being a key constituent of glutathione, this amino acid supports a lot of vital physiological functions

Cysteine - Wikipedia L -Cysteine is a protein monomer in all biota, and D -cysteine acts as a signaling molecule in mammalian nervous systems. [8] Cysteine is named after its discovery in urine, which comes

L-Cysteine Benefits, Supplements, Dosage, Foods and Side Effects What is L-cysteine? L-cysteine is classified as a “semi-essential” amino acid because it can be made in small amounts by the human body, but many people can still

L-CYSTEINE: Overview, Uses, Side Effects, Precautions - WebMD Overview L-cysteine is a type of amino acid, which are the building blocks of proteins. The body makes L-cysteine from another amino acid called methionine

Cysteine - Health Encyclopedia - University of Rochester Medical Center It's found in beta-keratin. This is the main protein in nails, skin, and hair. Cysteine is important for making collagen. It affects skin elasticity and texture. Cysteine has antioxidant properties.

A cysteine-rich diet may promote regeneration of the intestinal A diet rich in cysteine has

rejuvenating effects in the small intestine, according to a new study. The amino acid can turn on an immune signaling pathway that helps stem cells

Cysteine | Antioxidant, Protein Synthesis & Metabolism | Britannica Cysteine, Sulfur-containing nonessential amino acid. In peptides and proteins, the sulfur atoms of two cysteine molecules are bonded to each other to make cystine, another

Cysteine (intravenous route) - Side effects & uses - Mayo Clinic Cysteine injection is used to meet the nutritional requirements of newborn infants (including preterm babies) requiring total parenteral nutrition (TPN). Cysteine injection is also

L- (+)-Cysteine | C3H7NO2S | CID 5862 - PubChem Cysteine is an important source of sulfur in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals

Cysteine (Professional Patient Advice) - Professional guide for Cysteine. Includes: pharmacology, pharmacokinetics, contraindications, interactions and adverse reactions

Cysteine - Cys: dosage, applications, side effects, studies Cysteine is known as a sulphur-containing non-essential amino acid. Being a key constituent of glutathione, this amino acid supports a lot of vital physiological functions

Cysteine - Wikipedia L -Cysteine is a protein monomer in all biota, and D -cysteine acts as a signaling molecule in mammalian nervous systems. [8] Cysteine is named after its discovery in urine, which comes

L-Cysteine Benefits, Supplements, Dosage, Foods and Side Effects What is L-cysteine? L-cysteine is classified as a “semi-essential” amino acid because it can be made in small amounts by the human body, but many people can still benefit

L-CYSTEINE: Overview, Uses, Side Effects, Precautions - WebMD Overview L-cysteine is a type of amino acid, which are the building blocks of proteins. The body makes L-cysteine from another amino acid called methionine

Cysteine - Health Encyclopedia - University of Rochester Medical Center It's found in beta-keratin. This is the main protein in nails, skin, and hair. Cysteine is important for making collagen. It affects skin elasticity and texture. Cysteine has antioxidant properties.

A cysteine-rich diet may promote regeneration of the intestinal A diet rich in cysteine has rejuvenating effects in the small intestine, according to a new study. The amino acid can turn on an immune signaling pathway that helps stem cells

Cysteine | Antioxidant, Protein Synthesis & Metabolism | Britannica Cysteine, Sulfur-containing nonessential amino acid. In peptides and proteins, the sulfur atoms of two cysteine molecules are bonded to each other to make cystine, another

Cysteine (intravenous route) - Side effects & uses - Mayo Clinic Cysteine injection is used to meet the nutritional requirements of newborn infants (including preterm babies) requiring total parenteral nutrition (TPN). Cysteine injection is also

L- (+)-Cysteine | C3H7NO2S | CID 5862 - PubChem Cysteine is an important source of sulfur in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals

Cysteine (Professional Patient Advice) - Professional guide for Cysteine. Includes: pharmacology, pharmacokinetics, contraindications, interactions and adverse reactions

Cysteine - Cys: dosage, applications, side effects, studies Cysteine is known as a sulphur-containing non-essential amino acid. Being a key constituent of glutathione, this amino acid supports a lot of vital physiological functions

Cysteine - Wikipedia L -Cysteine is a protein monomer in all biota, and D -cysteine acts as a signaling molecule in mammalian nervous systems. [8] Cysteine is named after its discovery in urine, which comes

L-Cysteine Benefits, Supplements, Dosage, Foods and Side Effects What is L-cysteine? L-cysteine is classified as a “semi-essential” amino acid because it can be made in small amounts by the human body, but many people can still benefit

L-CYSTEINE: Overview, Uses, Side Effects, Precautions - WebMD Overview L-cysteine is a type of amino acid, which are the building blocks of proteins. The body makes L-cysteine from another amino acid called methionine

Cysteine - Health Encyclopedia - University of Rochester Medical Center It's found in beta-keratin. This is the main protein in nails, skin, and hair. Cysteine is important for making collagen. It affects skin elasticity and texture. Cysteine has antioxidant properties.

A cysteine-rich diet may promote regeneration of the intestinal A diet rich in cysteine has rejuvenating effects in the small intestine, according to a new study. The amino acid can turn on an immune signaling pathway that helps stem cells

Cysteine | Antioxidant, Protein Synthesis & Metabolism | Britannica Cysteine, Sulfur-containing nonessential amino acid. In peptides and proteins, the sulfur atoms of two cysteine molecules are bonded to each other to make cystine, another

Cysteine (intravenous route) - Side effects & uses - Mayo Clinic Cysteine injection is used to meet the nutritional requirements of newborn infants (including preterm babies) requiring total parenteral nutrition (TPN). Cysteine injection is also

L- (+)-Cysteine | C₃H₇NO₂S | CID 5862 - PubChem Cysteine is an important source of sulfur in human metabolism, and although it is classified as a non-essential amino acid, cysteine may be essential for infants, the elderly, and individuals

Cysteine (Professional Patient Advice) - Professional guide for Cysteine. Includes: pharmacology, pharmacokinetics, contraindications, interactions and adverse reactions

Back to Home: <https://www-01.massdevelopment.com>