

medial patellofemoral ligament reconstruction

medial patellofemoral ligament reconstruction is a surgical procedure designed to restore stability to the patella, or kneecap, by repairing or reconstructing the medial patellofemoral ligament (MPFL). This ligament plays a critical role in preventing lateral dislocation of the patella and maintaining proper knee function. Injuries to the MPFL commonly occur due to trauma or repetitive stress, often resulting in patellar instability or recurrent dislocations. Medial patellofemoral ligament reconstruction is increasingly recognized as an effective treatment to address chronic patellar instability and to improve patient outcomes. This article provides a comprehensive overview of the indications, surgical techniques, rehabilitation protocols, and potential complications associated with MPFL reconstruction. Readers will gain insight into the anatomy involved, diagnosis criteria, and the latest advancements in surgical approaches for this essential knee ligament repair.

- Anatomy and Function of the Medial Patellofemoral Ligament
- Indications for Medial Patellofemoral Ligament Reconstruction
- Surgical Techniques for MPFL Reconstruction
- Postoperative Rehabilitation and Recovery
- Potential Complications and Outcomes

Anatomy and Function of the Medial Patellofemoral Ligament

The medial patellofemoral ligament is a key soft tissue structure located on the inner side of the knee, connecting the medial aspect of the patella to the femur. It serves as the primary restraint against lateral displacement of the patella, particularly during the initial degrees of knee flexion. The MPFL contributes approximately 50% to 60% of the total restraining force that prevents patellar dislocation. Understanding the anatomy and biomechanical role of the MPFL is essential for diagnosing injury and planning effective reconstruction.

Anatomical Structure

The MPFL originates from the medial femoral epicondyle and inserts along the superomedial border of the patella. It is a fan-shaped ligament with variable fiber orientation, which allows it to distribute mechanical forces efficiently during knee movement. Its anatomical proximity to other medial knee structures, such as the vastus medialis obliquus and medial retinaculum, underscores its importance in patellofemoral joint stability.

Biomechanical Role

During knee extension and early flexion, the MPFL functions to prevent the patella from shifting laterally. Injuries to this ligament often lead to increased lateral patellar translation, resulting in instability, pain, and functional impairment. The MPFL works in conjunction with bony architecture and muscular control to maintain congruence within the patellofemoral joint.

Indications for Medial Patellofemoral Ligament Reconstruction

Medial patellofemoral ligament reconstruction is primarily indicated for patients experiencing recurrent lateral patellar dislocations or chronic patellar instability that has not responded to conservative management. Accurate diagnosis and patient selection are crucial for successful surgical outcomes.

Recurrent Patellar Dislocation

Patients with a history of multiple lateral patellar dislocations often suffer from MPFL insufficiency. Conservative treatments such as physical therapy, bracing, and activity modification may be insufficient to restore stability. Surgical reconstruction is considered when instability persists despite nonoperative measures.

Chronic Patellar Instability

Chronic patellar instability may manifest as persistent subluxation, apprehension, or pain during activities involving knee flexion and extension. This condition is frequently associated with MPFL deficiency and can lead to cartilage damage and early osteoarthritis if left untreated.

Associated Risk Factors

Additional factors influencing the decision for MPFL reconstruction include:

- Patella alta (high-riding patella)
- Increased tibial tuberosity-trochlear groove (TT-TG) distance
- Trochlear dysplasia
- Generalized ligamentous laxity
- Malalignment of the lower extremity

Surgical Techniques for MPFL Reconstruction

Several surgical techniques have been developed for medial patellofemoral ligament reconstruction, each aiming to restore the ligament's function while minimizing complications. The choice of technique depends on surgeon preference, patient anatomy, and the severity of instability.

Graft Selection

Autografts and allografts are commonly used for MPFL reconstruction. Common autograft sources include the gracilis tendon, semitendinosus tendon, and quadriceps tendon. Allografts may also be utilized to avoid donor site morbidity. The graft is fashioned to replicate the native MPFL in size and orientation.

Femoral and Patellar Fixation

Precise placement of the femoral tunnel is critical to reproduce the anatomical insertion of the MPFL and avoid graft malposition. Fixation techniques include interference screws, suture anchors, or buttons, depending on the graft type and surgical approach. On the patellar side, fixation must ensure secure attachment without compromising patellar integrity or causing fracture.

Open versus Arthroscopic Techniques

MPFL reconstruction can be performed through an open or minimally invasive arthroscopic-assisted approach. Arthroscopic techniques offer the advantages of reduced soft tissue disruption, smaller incisions, and potentially faster recovery. However, they require advanced surgical expertise and specialized equipment.

Step-by-Step Surgical Overview

1. Patient positioning and anesthesia administration
2. Incision and exposure of the medial knee structures
3. Harvesting and preparation of the graft
4. Identification of anatomical landmarks for femoral and patellar tunnels
5. Creation of tunnels and passage of the graft
6. Graft fixation with appropriate tensioning
7. Closure of incisions and application of dressings

Postoperative Rehabilitation and Recovery

Rehabilitation following medial patellofemoral ligament reconstruction is vital to restore knee function, strength, and range of motion while protecting the reconstructed ligament during healing.

Immediate Postoperative Care

In the initial phase, patients are typically immobilized with a knee brace and advised to limit weight-bearing activities. Cryotherapy and elevation help reduce swelling and pain. Early controlled motion is encouraged to prevent stiffness.

Physical Therapy Protocol

Physical therapy focuses on gradual restoration of knee flexion, quadriceps strengthening, and proprioceptive training. Key components include:

- Range of motion exercises progressing from passive to active
- Quadriceps activation and strengthening exercises
- Balance and neuromuscular control drills
- Gradual return to functional activities and sports-specific training

Timeline for Recovery

Typical recovery milestones include:

- 0-6 weeks: Protection of the graft with limited weight-bearing and brace use
- 6-12 weeks: Progressive increase in range of motion and strengthening exercises
- 3-6 months: Advanced strengthening and functional training
- 6-12 months: Return to full athletic activities, pending clinical evaluation

Potential Complications and Outcomes

While medial patellofemoral ligament reconstruction is generally safe and effective, understanding potential complications is essential for risk management and patient counseling.

Common Complications

Complications can arise from surgical technique, patient factors, or postoperative care. These include:

- Patellar fracture due to tunnel placement or fixation
- Graft failure or laxity leading to persistent instability
- Joint stiffness or arthrofibrosis
- Infection at the surgical site
- Persistent pain or discomfort

Long-Term Outcomes

Studies indicate that medial patellofemoral ligament reconstruction results in significant improvements in knee stability, pain reduction, and functional capacity. Patient satisfaction rates are high, especially when anatomical reconstruction is combined with correction of underlying anatomical risk factors. Long-term follow-up demonstrates the procedure's effectiveness in preventing recurrent dislocations and delaying degenerative changes in the patellofemoral joint.

Frequently Asked Questions

What is medial patellofemoral ligament reconstruction?

Medial patellofemoral ligament (MPFL) reconstruction is a surgical procedure to repair or replace the MPFL, a key ligament that stabilizes the patella (kneecap) and prevents it from dislocating laterally.

When is medial patellofemoral ligament reconstruction recommended?

MPFL reconstruction is typically recommended for patients with recurrent lateral patellar dislocations or instability that have not responded to conservative treatments like physical therapy.

What are the common causes of MPFL injury requiring reconstruction?

Common causes include traumatic patellar dislocations, repetitive knee injuries, anatomical abnormalities such as trochlear dysplasia, or ligamentous laxity leading to patellar instability.

How is medial patellofemoral ligament reconstruction

performed?

The surgery involves harvesting a graft (often from the hamstring tendon), creating tunnels in the patella and femur, and securing the graft to reconstruct the MPFL, restoring stability to the kneecap.

What is the recovery time after MPFL reconstruction?

Recovery typically takes 3 to 6 months, with gradual rehabilitation focusing on range of motion, strength, and stability before returning to full activities or sports.

Are there any risks or complications associated with MPFL reconstruction?

Potential risks include infection, stiffness, graft failure, persistent instability, pain, and complications related to anesthesia, although serious complications are relatively rare.

How effective is medial patellofemoral ligament reconstruction in preventing patellar dislocation?

MPFL reconstruction is generally effective, with success rates above 85% in preventing recurrent patellar dislocations when combined with appropriate rehabilitation.

Can MPFL reconstruction be combined with other procedures?

Yes, MPFL reconstruction is often combined with procedures like tibial tubercle osteotomy or lateral release to address underlying anatomical factors contributing to instability.

What are the alternatives to MPFL reconstruction for patellar instability?

Alternatives include physical therapy, bracing, activity modification, and in some cases, other surgical procedures such as lateral release or trochleoplasty depending on the cause of instability.

What advancements have been made recently in MPFL reconstruction techniques?

Recent advancements include minimally invasive arthroscopic techniques, improved graft fixation methods, and personalized surgical planning using imaging to optimize outcomes and reduce complications.

Additional Resources

1. Medial Patellofemoral Ligament Reconstruction: Techniques and Outcomes

This comprehensive guide explores the surgical techniques involved in medial patellofemoral ligament (MPFL) reconstruction. It covers patient selection, preoperative planning, and postoperative rehabilitation protocols. The book also discusses recent advancements and long-term outcomes,

making it an essential resource for orthopedic surgeons and sports medicine specialists.

2. The Patellofemoral Joint: Anatomy, Pathology, and Treatment

Focusing on the patellofemoral joint, this book provides an in-depth analysis of its anatomy and common pathologies, including MPFL injuries. Detailed chapters describe diagnostic approaches and various treatment modalities, emphasizing ligament reconstruction. It is ideal for clinicians seeking a thorough understanding of patellofemoral disorders.

3. Surgical Techniques in Knee Ligament Reconstruction

This text offers detailed descriptions of surgical approaches for knee ligament reconstruction, with a dedicated section on MPFL reconstruction. It integrates anatomical illustrations and step-by-step instructions to enhance surgical precision. The book also highlights perioperative management and complication avoidance strategies.

4. Patellar Instability and Medial Patellofemoral Ligament Repair

Addressing the issue of patellar instability, this book delves into the causes, diagnosis, and surgical repair options of the MPFL. It discusses biomechanical principles underlying ligament reconstruction and reviews clinical case studies. The text serves as a practical guide for orthopedic residents and practicing surgeons.

5. Advances in Sports Medicine: Knee Ligament Injuries and Reconstruction

This volume covers contemporary research and clinical practices related to sports-related knee ligament injuries, including MPFL reconstruction. It discusses innovations in surgical techniques, graft choices, and rehabilitation strategies. The book is tailored for sports medicine professionals aiming to improve patient outcomes.

6. Orthopedic Sports Medicine: Patellofemoral Disorders

Providing a focused look at patellofemoral disorders, this book examines the role of MPFL reconstruction in managing recurrent patellar dislocations. It integrates clinical examination methods, imaging techniques, and surgical interventions. The text is suitable for orthopedic surgeons, physiotherapists, and sports medicine clinicians.

7. Biomechanics of the Medial Patellofemoral Ligament and Reconstruction Techniques

This specialized book emphasizes the biomechanical aspects of the MPFL and how they inform surgical reconstruction techniques. It includes laboratory studies, modeling data, and clinical correlations to enhance understanding. The content is valuable for researchers and surgeons interested in the mechanical underpinnings of ligament reconstruction.

8. Rehabilitation After Medial Patellofemoral Ligament Reconstruction

Focusing on postoperative care, this book outlines evidence-based rehabilitation protocols following MPFL reconstruction. It discusses timelines for recovery, physical therapy exercises, and return-to-sport criteria. The guide is designed for physiotherapists, athletic trainers, and rehabilitation specialists.

9. Clinical Cases in Patellar Instability and MPFL Reconstruction

Through a series of real-world case studies, this book illustrates the diagnosis and management of patellar instability with an emphasis on MPFL reconstruction. Each case includes patient history, imaging, surgical decision-making, and follow-up outcomes. This resource aids clinicians in applying theoretical knowledge to practical scenarios.

Medial Patellofemoral Ligament Reconstruction

Find other PDF articles:

<https://www-01.massdevelopment.com/archive-library-601/pdf?trackid=gXR39-2142&title=political-map-of-africa-2023.pdf>

medial patellofemoral ligament reconstruction: A Finite Element Study on the Medial Patellofemoral Ligament Reconstruction Bharath Koya, 2013 Patellar instability is a major problem among young individuals. Chronic patellar instability termed as patellar dislocation occurs mainly due to the reduction in the medial restraining forces for the patella, excessive Q-angle, patella alta and trochlear dysplasia. It causes a tear of the medial patellofemoral ligament (MPFL) in the majority of instances. The MPFL is the main passive stabilizer preventing patellar instability and accounts for 50-60% of the total restraining forces. Reconstruction of the torn MPFL is a surgical option performed in chronic cases to improve patellofemoral biomechanics and to provide better stability at the knee. Finite element analysis (FEA) makes it possible to simulate the surgical technique of reconstruction of the MPFL, observe the effects on the articular cartilage structures and determine the patellofemoral kinematics, which is not possible with in vivo imaging analysis. In the present study, subject specific computational (finite element) models were built in ABAQUS based on the 3D anatomical geometry of the patellofemoral joint from pre-op MRI scans. The femur and patella were modeled as rigid structures with quadrilateral elements. Patellofemoral articular cartilage was modeled as isotropic elastic structures with hexahedral elements. The quadriceps muscle group, patellar tendon and the MPFL graft were represented using linear tension-only springs. The quadriceps muscle force was calculated from the foot load that the patient was able to withstand at a particular flexion angle during the MRI scan. The MPFL reconstruction surgery was simulated by modeling the ligament with uniaxial connector elements and material properties representing the graft material. FE simulations with appropriate boundary and loading conditions showed that the lateral translation was restricted with a MPFL graft. Validation of these FE models was done by comparing the results with the kinematics obtained from an analysis based on MRI scans taken before and after the MPFL reconstruction surgery. FEA results matched the trends observed in the results of the experimental study, but they failed to replicate them quantitatively. In addition, the ratio of tension in the patellar tendon and quadriceps muscles and the tension in the MPFL graft elements was obtained from the simulations. The technique used in the present study can be improved by dealing with the limitations of the modeling like meshing of the structures and material properties. The FE models can be used to study the inter-subject differences, graft attachment points and graft tensioning to help with the ligament reconstruction procedures.

medial patellofemoral ligament reconstruction: Influence of Medial Patellofemoral Ligament Reconstruction on Patellofemoral Contact in Patients with Low-flexion Patellar Instability: an MRI Study Markus Alexander Siegel, Elham Taghizadeh, Thomas Lange, Andreas Fuchs, Tayfun Yilmaz, Philipp Maier, Hans Meine, Hagen Schmal, Kaywan Izadpanah, 2023 Abstract: Background: Medial patellofemoral ligament (MPFL) reconstruction is a well-established procedure for the treatment of patients with patellofemoral instability (PFI) at low flexion angles (0°-30°). Little is known about the effect of MPFL surgery on patellofemoral cartilage contact area (CCA) during the first 30° of knee flexion. Purpose/Hypothesis: The purpose of this study was to investigate the effect of MPFL reconstruction on CCA using magnetic resonance imaging (MRI). We hypothesized that patients with PFI would have a lower CCA than patients with healthy knees and that CCA would increase after MPFL reconstruction over the course of low knee flexion. Study Design: Cohort study; Level of evidence, 2. Methods: In a prospective matched-paired cohort study, the CCA of 13 patients with low-flexion PFI was determined before and after MPFL reconstruction, and the data were

compared with those of 13 healthy volunteers (controls). MRI was performed with the knee at 0°, 15°, and 30° of flexion in a custom-designed knee-positioning device. To suppress motion artifacts, motion correction was performed using a Moiré Phase Tracking system via a tracking marker attached to the patella. The CCA was calculated on the basis of semiautomatic cartilage and bone segmentation and registration. Results: The CCA (mean $\pm$ SD) at 0°, 15°, and 30° of flexion for the control participants was 1.38 ± 0.62 , 1.91 ± 0.98 , and 3.68 ± 0.92 cm², respectively. In patients with PFI, the CCA at 0°, 15°, and 30° of flexion was 0.77 ± 0.49 , 1.26 ± 0.60 , and 2.89 ± 0.89 cm² preoperatively and 1.65 ± 0.55 , 1.97 ± 0.68 , and 3.52 ± 0.57 cm² postoperatively. Patients with PFI exhibited a significantly reduced preoperative CCA at all 3 flexion angles when compared with controls ($P \leq .045$ for all). Postoperatively, there was a significant increase in CCA at 0° of flexion ($P = .001$), 15° of flexion ($P = .019$) and 30° of flexion ($P = .026$). There were no significant postoperative differences in CCA between patients with PFI and controls at any flexion angle. Conclusion: Patients with low-flexion patellar instability showed a significant reduction in patellofemoral CCA at 0°, 15°, and 30° of flexion. MPFL reconstruction increased the contact area significantly at all angles

medial patellofemoral ligament reconstruction: *Reconstructive Knee Surgery* Douglas W. Jackson, 2008 The newly expanded edition of this highly acclaimed volume describes the latest techniques for reconstructive knee surgery. The worlds foremost experts share their preferred techniques in step-by-step detail and offer tips for improving results. The book is thoroughly illustrated with full-color, sequential, intraoperative photographs.

medial patellofemoral ligament reconstruction: *Evidence-Based Management of Complex Knee Injuries E-Book* Robert F. LaPrade, Jorge Chahla, 2020-10-04 The ultimate resource for sports medicine conditions involving the knee, *Evidence-Based Management of Complex Knee Injuries* is an up-to-date reference that provides practical tools to examine, understand, and comprehensively treat sports medicine conditions in this challenging area. Using a sound logic of anatomy, biomechanics, lab testing, human testing, and outcomes analysis, editors Robert F. LaPrade and Jorge Chahla offer a single, comprehensive resource for evidence-based guidance on knee pathology. This unique title compiles the knowledge and expertise of world-renowned surgeons and is ideal for sports medicine surgeons, primary care physicians, and anyone who manages and treats patients with sports-related knee injuries. - Uses a step-by-step, evidence-based approach to cover biomechanically validated surgical techniques and postoperative rehabilitation, enabling surgeons and physicians to more comprehensively treat sports medicine knee injuries. - Covers the basic anatomy and biomechanics of the knee alongside more advanced objective diagnostic approaches and easy-to-follow treatment algorithms. - Provides an easy-to-understand review of pathology with clear, concise text and high-quality illustrations. - Demonstrates the importance and function of the ligaments and meniscus with exquisite anatomical illustrations and numerous biomechanical videos.

medial patellofemoral ligament reconstruction: Patellar Instability Surgery in Clinical Practice Vicente Sanchis-Alfonso, 2012-11-19 Among all the extensor mechanism pathologies, lateral patellar instability is of great interest not only for the knee specialist, but also for the general orthopedic surgeon and trainee. The procedure that is most frequently performed to treat lateral patellar instability is the medial patellofemoral ligament (MPFL) reconstruction. The reason for this great interest in this procedure is obvious. Medial patellofemoral ligament reconstruction is the most frequently performed procedure in the extensor mechanism. It also is the most predictable and has the best clinical results of all the procedures in the extensor mechanism. In this handbook we analyse the different reconstruction techniques, step by step, for the MPFL reconstruction, as well as other techniques less frequently used in the patient with lateral patellofemoral instability. We also analyse the treatment of medial patellofemoral instability. It is a very practical book, aimed at the general orthopedic surgeon and also the ones specialized in the knee.

medial patellofemoral ligament reconstruction: Understanding the Patellofemoral Joint: From Instability to Arthroplasty; An Issue of Clinics in Sports Medicine Alexander Meininger, 2014-09-26 This issue of *Clinics in Sports Medicine* will focus on patellofemoral disorders and how

they are among the most common clinical conditions managed in the orthopaedic and sports medicine setting. The correct diagnosis at an early stage is essential if subsequent treatment is to be successful and secondary complications are to be avoided. Nonoperative intervention is usually the first form of treatment; however, there is no consensus on the most effective method of treatment.

medial patellofemoral ligament reconstruction: *Insall & Scott Surgery of the Knee E-Book* W. Norman Scott, 2011-09-09 Online and in print, *Insall & Scott Surgery of the Knee*, edited by W. Norman Scott, MD, and 11 section editors who are experts in their fields, is your complete, multimedia guide to the most effective approaches for diagnosis and management of the full range of knee disorders affecting patients of all ages. From anatomical and biomechanical foundations, to revision total knee replacement, this authoritative reference provides the most up-to-date and complete guidance on cutting-edge surgical procedures, the largest collection of knee videos in one knee textbook. Expanded coverage and rigorous updates—including 40 online-only chapters—keep you current with the latest advances in cartilage repair and regeneration, allograft and autografts, computer robotics in total knee arthroplasty, and other timely topics. This edition is the first book ever endorsed by The Knee Society. Access the full text - including a wealth of detailed intraoperative photographs, a robust video library, additional online-only chapters, a glossary of TKR designs, quarterly updates, and more - at www.expertconsult.com. Get all you need to know about the clinical and basic science aspects of the full range of knee surgeries as well as the latest relevant information, including imaging and biomechanics; soft tissue cartilage; ligament/meniscal repair and reconstructions; partial and total joint replacement; fractures; tumors; and the arthritic knee. Master the nuances of each new technique through step-by-step instructions and beautiful, detailed line drawings, intraoperative photographs, and surgical videos. See exactly how it's done. Watch master surgeons perform Partial and Primary TKR, Revision TKR, Tumor Replacement, Fracture Treatment, and over 160 videos on the expertconsult.com. Find information quickly and easily thanks to a consistent, highly templated, and abundantly illustrated chapter format and streamlined text with many references and chapters appearing online only. Access the fully searchable contents of the book online at www.expertconsult.com, including 40 online-only chapters, a downloadable image library, expanded video collection, quarterly updates, and a glossary of TKR designs with images and text from various device manufacturers. Grasp and apply the latest knowledge with expanded coverage of cartilage repair and regeneration techniques, expanded ligament techniques in allograft and autografts, computer robotics in surgical prognostics, fitting and techniques in partial and total knee arthroplasty, and more. Consult with the best. Renowned knee surgeon and orthopaedic sports medicine authority Dr. W. Norman Scott leads an internationally diverse team of accomplished specialists—many new to this edition—who provide dependable guidance and share innovative approaches to reconstructive surgical techniques and complications management.

medial patellofemoral ligament reconstruction: Patellofemoral Pain, Instability, and Arthritis David Dejour, Stefano Zaffagnini, Elizabeth A. Arendt, Petri Sillanpää, Florian Dirisamer, 2020-05-23 This excellently illustrated book adopts an evidence-based approach to evaluate the efficacy of different techniques for the imaging and treatment of patellofemoral pain, instability, and arthritis. The aim is to equip practitioners with an informative guide that will help them to manage disorders of the patellofemoral joint by casting light on the many issues on which a consensus has been lacking. The opening chapters supply essential background information and explain the role of various imaging modalities, including radiography, CT, MRI, and bone scan. The various conservative and surgical treatment approaches for each of the three presentations - pain, instability, and arthritis - are then described and assessed in depth, with precise guidance on indications and technique. Postoperative management and options in the event of failed surgery are also evaluated. Throughout, careful attention is paid to the literature in an attempt to establish the level of evidence for each imaging and treatment method. The new edition has been thoroughly updated, with inclusion of additional chapters, in order to present the latest knowledge on biomechanics, diagnosis, surgical techniques, and rehabilitation.

medial patellofemoral ligament reconstruction: Master Techniques in Orthopaedic Surgery:

Sports Medicine Freddie H. Fu, 2019-06-12 Part of the highly regarded Master Techniques in Orthopaedic Surgery series, Sports Medicine, Second Edition, is a concise, lavishly illustrated reference covering key sports medicine surgeries in step-by-step detail. Ideal for orthopaedic surgery sports medicine specialists, this Second Edition presents the preferred techniques of surgical masters, illustrated with full-color, sequential, surgeon's-eye view intraoperative photographs, as well as superb drawings by noted medical illustrators. Fourteen new chapters keep you fully up to date with recent changes in the field.

medial patellofemoral ligament reconstruction: *Patellofemoral Instability* Sachin Tapasvi, 2018-07-31 Patellofemoral instability (PFI) is the movement of the kneecap from its normal position of alignment. It may be caused by sudden injury or developmental wear and tear and will often lead to arthritis. This book is a concise guide to misalignment of the kneecap, its complications and management. Beginning with an introduction to the epidemiology of patellar dislocation, anterior knee pain and patho-anatomy, the next chapter examines imaging techniques including X-Rays, CT, MRI and bone scan. The following sections provide in depth coverage of both conservative and surgical management procedures. The manual is enhanced by clinical photographs and high quality diagrams to assist understanding. Key Points Concise guide to misalignment of the kneecap, complications and treatment Provides complete chapter on imaging techniques Covers both conservative and surgical management procedures Includes clinical photographs and high quality diagrams

medial patellofemoral ligament reconstruction: *Insights in orthopedic surgery: 2021* Jaimo Ahn, 2023-09-07

medial patellofemoral ligament reconstruction: Pediatric and Adolescent Knee Injuries: Evaluation, Treatment, and Rehabilitation, An Issue of Clinics in Sports Medicine, E-Book Matthew D. Milewski, 2022-10-12 In this issue, guest editors bring their considerable expertise to this important topic. Provides in-depth reviews on the latest updates in the field, providing actionable insights for clinical practice. Presents the latest information on this timely, focused topic under the leadership of experienced editors in the field. Authors synthesize and distill the latest research and practice guidelines to create these timely topic-based reviews.

medial patellofemoral ligament reconstruction: *Sports Knee Surgery* Mark D. Miller, 2008 Accompanying DVD-ROM contains ... experts perform[ing] key techniques via video clips.--P. [4] of cover.

medial patellofemoral ligament reconstruction: *Operative Techniques: Sports Knee Surgery* E-Book Mark D. Miller, Brian J. Cole, Andrew Cosgarea, Jon K. Sekiya, 2008-07-11 This multimedia resource offers you all the how-to step-by-step guidance you need to perform all of the latest and best techniques in sports knee surgery. The complete, lavishly illustrated volume is made even better with a state-of-the-art companion web site! With chapters on such hot topics as knee arthroscopy and meniscus, articular cartilage procedures, knee ligament procedures, and patellofemoral procedures, you will appreciate the clear and concise, detailed, and visual approach of this atlas and video collection. Large full-color intraoperative photos, diagrammable illustrations, dedicated website, and companion DVD demonstrate the full range of procedures. This short, accessible multimedia resource shows you what you need to know and how to do it all. The result is a detailed, easy-to-use reference that no orthopedic surgeon should be without. This is a title in the Operative Techniques series. Please visit www.operativetechniques.com for more information. Includes full-text web access so you can search the text online and surgical video clips that let you see the experts perform the techniques and perfect your own. Discusses pearls and pitfalls with an emphasis on optimizing outcomes to improve the quality of your technique and learn the expert's approach to getting the best results. Outlines positioning, exposures, instrumentation, and implants to give you a step-by-step guide for every procedure. Provides post-operative care and expected outcomes including potential complications and brief notes on controversies and supporting evidence to give you important details about patient-focused surgery. Highlights key anatomies with color photos and illustrations as well as diagrams that present cases as they appear in real life to

help you see every detail with clarity.

medial patellofemoral ligament reconstruction: Patellofemoral Pain, Instability, and Arthritis Stefano Zaffagnini, David Dejour, Elizabeth A. Arendt, 2010-07-17 Despite numerous studies, a lack of consensus still exists over many aspects of patellofemoral pain, instability, and arthritis. This book adopts an evidence-based approach to assess each of these topics in depth. The book reviews general features of clinical examination and global evaluation techniques including the use of different imaging methods, e.g. x-rays, CT, MRI, stress x-rays, and bone scan. Various conservative and surgical treatment approaches for each of the three presentations – pain, instability, and arthritis – are then explained and assessed. Postoperative management and options in the event of failed surgery are also evaluated. Throughout, careful attention is paid to the literature in an attempt to establish the level of evidence for the efficacy of each imaging and treatment method. It is hoped that this book will serve as an informative guide for the practitioner when confronted with disorders of the patellofemoral joint.

medial patellofemoral ligament reconstruction: Atlas of Essential Orthopaedic Procedures, Second Edition Evan Flatow, Alexis C. Colvin, 2019-07-11 Covering more than 100 fundamental orthopaedic techniques, *Atlas of Essential Orthopaedic Procedures*, 2nd edition offers a highly illustrated, step-by-step guide to the wide variety of conditions you're most likely to see in practice. The easy-to-follow format begins with patient selection, walks you through a detailed, step-by-step description of the procedure, and concludes with the author's surgical pearls—all heavily illustrated with radiographs, intraoperative photographs, and line drawings for optimal visualization of the procedure. This technique-focused reference is an essential resource for busy orthopaedic surgeons and a must-have reference for orthopaedic residency.

medial patellofemoral ligament reconstruction: Advances in Knee Ligament and Knee Preservation Surgery Norimasa Nakamura, Robert G. Marx, Volker Musahl, Alan Getgood, Seth L. Sherman, Peter Verdonk, 2021-11-18 This comprehensive book offers an overview of the latest advances in knee ligament and knee preservation surgery, including cartilage, meniscus, and osteotomy procedures. Designed to offer practical guidance on the management of complex knee problems, it presents clinical scenarios as well as recommendations by leading international experts. Written in collaboration with ISAKOS and drawing on a variety of perspectives it is invaluable tool for orthopedic and sports medicine surgeons.

medial patellofemoral ligament reconstruction: Instructional Course Lectures: Volume 73 Ronald A. Navarro, Carolyn M. Hettrich, 2023-12-28 Developed in partnership with the American Academy of Orthopaedic Surgeons (AAOS) and edited by Ronald A. Navarro, MD, FAAOS, FAOA (editor) and Carolyn M. Hettrich, MD, MPH, FAAOS (assistant editor), *Instructional Course Lectures, Volume 73* offers current, clinically relevant information across a broad spectrum of orthopaedic topics. These lectures were written by the orthopaedic surgeons who presented at the 2023 AAOS Annual Meeting. This all-new volume covers topics such as: From Platelet-Rich Plasma to Mesenchymal Stem Cells: Cartilage Regeneration With Orthobiologics; Patient Reported Outcome Measures – How to Get the Most Out of Them and Mitigate Health Care Disparities; Leveraging Artificial Intelligence and Digital Health to Address Health-Related Social Needs and Optimize Risk-Based Value in Orthopaedic Surgery; Peri-articular Injection and Peripheral Nerve Blocks With Standard Agents; Management of Acute Diabetic Ankle Fractures; And many more.

medial patellofemoral ligament reconstruction: The Patellofemoral Joint Jason L. Koh, Ryosuke Kuroda, João Espregueira-Mendes, Alberto Gobbi, 2021-12-07 This practical case-based book assists clinicians in the evaluation and treatment of patellofemoral patients by reviewing critical elements for assessment and presenting clinical scenarios in which different experts provide their recommendations for treatment. Subdivided in 6 parts it explores the joint's anatomy and mechanics, as well as case-based evaluation and treatment of patellofemoral instability, arthritis and chondrosis, traumatic injuries and degenerative tendinopathies. Moreover, the closing part offers an overview of the latest advances and future developments. Written in collaboration with ISAKOS, this book offers a valuable guide for orthopedists and sports medicine treating common and complex

injuries of this joint.

medial patellofemoral ligament reconstruction: *Patellar Instability* Shital N. Parikh, 2019-03-07 Written by experts in the field, *Patellar Instability and Dislocation: Classification and Operative Techniques* is a comprehensive, authoritative review of the procedures used to address this challenging condition. Includes step-by-step procedures, both in print and on video, to guide you through today's most effective approaches to stabilization and reconstruction, trochleoplasty, limb realignment osteotomy, and much more.

Related to medial patellofemoral ligament reconstruction

Rehabilitation Protocol for MPFL Reconstruction This protocol is intended to guide clinicians through the post-operative course for MPFL reconstruction. This protocol is time based (dependent on tissue healing) as well as criterion

Medial Patellofemoral Ligament (MPFL) Reconstruction - HSS MPFL reconstruction is a surgery in which a new medial patellofemoral ligament is created to stabilize the knee and help protect the joint from additional damage. It offers an

MEDIAL PATELLOFEMORAL LIGAMENT This ligament may be injured in a patella dislocation. A MPFL reconstruction surgery uses a ligament from somewhere else in the body to reconstruct this ligament stabilizing the

Medial Patellofemoral Ligament Reconstruction Therefore, reconstruction of the MPFL has generated substantial interest, and several studies have demonstrated that reconstruction of a torn MPFL after traumatic patellar dislocation

Current Concept Review: Medial Patellofemoral Ligament Reconstruction Medial patellofemoral ligament (MPFL) reconstruction is a surgical procedure to improve the clinical outcomes for recurrent patellar dislocation. Current literature on MPFL reconstruction

Medial Patellofemoral Ligament (MPFL) Reconstruction The anatomic double bundle MPFL reconstruction technique replicates the native shape of the MPFL and provides outstanding flexion and extension. The double bundle technique also

Medial Patellofemoral Ligament Reconstruction/Repair Description of Procedure: The medial patellofemoral ligament (MPFL) is reconstructed by securing an autograft (cadaver semitendinosus hamstring) from the patella to the anatomic

Medial Patellofemoral Ligament Reconstruction Protocol Medial Patellofemoral Ligament Reconstruction Protocol Revised 2023 The following protocol utilizes a blend . f both criteria and timeframes as the determinants for advancement. It is

MPFL Reconstruction Rehabilitation Guideline Rehabilitation of a 23 year old male after right knee arthroscopy and open reconstruction of the medial patellofemoral ligament with a tibialis anterior allograft: a case report

Medial quadriceps tendon reconstruction for patellar instability 4 days ago Medial patellofemoral ligament reconstruction has been the primary procedure for the treatment of patellar instability, with generally excellent outcomes. However, the risk for

Rehabilitation Protocol for MPFL Reconstruction This protocol is intended to guide clinicians through the post-operative course for MPFL reconstruction. This protocol is time based (dependent on tissue healing) as well as criterion

Medial Patellofemoral Ligament (MPFL) Reconstruction - HSS MPFL reconstruction is a surgery in which a new medial patellofemoral ligament is created to stabilize the knee and help protect the joint from additional damage. It offers an

MEDIAL PATELLOFEMORAL LIGAMENT RECONSTRUCTION This ligament may be injured in a patella dislocation. A MPFL reconstruction surgery uses a ligament from somewhere else in the body to reconstruct this ligament stabilizing the

Medial Patellofemoral Ligament Reconstruction Therefore, reconstruction of the MPFL has generated substantial interest, and several studies have demonstrated that reconstruction of a torn MPFL after traumatic patellar dislocation

Current Concept Review: Medial Patellofemoral Ligament Reconstruction Medial patellofemoral ligament (MPFL) reconstruction is a surgical procedure to improve the clinical outcomes for recurrent patellar dislocation. Current literature on MPFL reconstruction

Medial Patellofemoral Ligament (MPFL) Reconstruction - Arthrex The anatomic double bundle MPFL reconstruction technique replicates the native shape of the MPFL and provides outstanding flexion and extension. The double bundle technique also

Medial Patellofemoral Ligament Reconstruction/Repair Rehab Description of Procedure: The medial patellofemoral ligament (MPFL) is reconstructed by securing an autograft (cadaver semitendinosus hamstring) from the patella to the anatomic

Medial Patellofemoral Ligament Reconstruction Protocol Medial Patellofemoral Ligament Reconstruction Protocol Revised 2023 The following protocol utilizes a blend . f both criteria and timeframes as the determinants for advancement. It is

MPFL Reconstruction Rehabilitation Guideline Rehabilitation of a 23 year old male after right knee arthroscopy and open reconstruction of the medial patellofemoral ligament with a tibialis anterior allograft: a case report

Medial quadriceps tendon reconstruction for patellar instability 4 days ago Medial patellofemoral ligament reconstruction has been the primary procedure for the treatment of patellar instability, with generally excellent outcomes. However, the risk for

Related to medial patellofemoral ligament reconstruction

Medial quadriceps tendon femoral reconstruction: An alternative for patellar instability (Healio4d) Medial patellofemoral ligament reconstruction has been the primary procedure for the treatment of patellar instability, with

Medial quadriceps tendon femoral reconstruction: An alternative for patellar instability (Healio4d) Medial patellofemoral ligament reconstruction has been the primary procedure for the treatment of patellar instability, with

Medial patellofemoral complex reconstruction may be warranted for first-time dislocation (Healio8mon) Please provide your email address to receive an email when new articles are posted on . Combined MPFL and medial quadriceps tendon femoral ligament reconstruction yielded fewer failures vs

Medial patellofemoral complex reconstruction may be warranted for first-time dislocation (Healio8mon) Please provide your email address to receive an email when new articles are posted on . Combined MPFL and medial quadriceps tendon femoral ligament reconstruction yielded fewer failures vs

3 Functional and radiological outcomes following medial patellofemoral ligament (MPFL) reconstruction (BMJ8y) Our aim was to study the functional and radiological outcomes following MPFL reconstruction. 108 patients undergoing MPFL reconstruction between January 2009 and July 2014 were identified. Demographic

3 Functional and radiological outcomes following medial patellofemoral ligament (MPFL) reconstruction (BMJ8y) Our aim was to study the functional and radiological outcomes following MPFL reconstruction. 108 patients undergoing MPFL reconstruction between January 2009 and July 2014 were identified. Demographic

Research reveals a novel hamstring sparing technique of MPFL reconstruction (Medical Dialogues13d) A novel hamstring sparing technique of MPFL reconstructionA composite graft made of medial retinaculum and quadriceps tendon

Research reveals a novel hamstring sparing technique of MPFL reconstruction (Medical Dialogues13d) A novel hamstring sparing technique of MPFL reconstructionA composite graft made of medial retinaculum and quadriceps tendon

Which determinants predict tibiofemoral and patellofemoral osteoarthritis after anterior cruciate ligament injury? A systematic review (BMJ2mon) 1 Department of Orthopaedic Surgery, Erasmus MC, University Medical Centre Rotterdam, The Netherlands 2 Department of

General Practice, Erasmus MC, University Medical Centre Rotterdam, The Netherlands

Which determinants predict tibiofemoral and patellofemoral osteoarthritis after anterior cruciate ligament injury? A systematic review (BMJ2mon)

1 Department of Orthopaedic Surgery, Erasmus MC, University Medical Centre Rotterdam, The Netherlands 2 Department of General Practice, Erasmus MC, University Medical Centre Rotterdam, The Netherlands

Crackling in Knees May Not Signal Early-Onset Osteoarthritis (Medscape1mon) Self-reported knee crepitus — an audible crackling or grinding noise during knee movement — was associated with full-thickness cartilage defects in the patellofemoral compartment 1 year after anterior

Crackling in Knees May Not Signal Early-Onset Osteoarthritis (Medscape1mon) Self-reported knee crepitus — an audible crackling or grinding noise during knee movement — was associated with full-thickness cartilage defects in the patellofemoral compartment 1 year after anterior

Surgery of the Medial Collateral Ligament in Patients Undergoing Total Knee

Replacements (Medscape3y) The medial collateral ligament (MCL) provides the principal stability to valgus stresses. Deformity of the knee causes the soft-tissue imbalances that require correction during total knee arthroplasty

Surgery of the Medial Collateral Ligament in Patients Undergoing Total Knee

Replacements (Medscape3y) The medial collateral ligament (MCL) provides the principal stability to valgus stresses. Deformity of the knee causes the soft-tissue imbalances that require correction during total knee arthroplasty

Back to Home: <https://www-01.massdevelopment.com>